



Manufacturers of Instruments for  
pH, Redox, Specific Ions,  
Conductivity, Salinity,  
Dissolved Oxygen,  
Humidity, Temperature,  
for Research and Industry



**Manufacturer** : Australian Chemical Reagents  
A Division of Roache Analysts Pty Ltd  
ACN No 010 524991  
**Address** : 19 Kensal St Moorooka Qld 4105  
**Phone** : (07) 38484828  
**Fax** : (07) 38925936

**Date** : Sep 2009

## MATERIAL SAFETY DATA SHEET

Not Classified as Hazardous According to Criteria of Worksafe Australia

### IDENTIFICATION

Solutions made from Calcium Chloride dissolved in water.

Part No	Product Code	Description & Volume	Concentration
121802	GFI2	ISE Internal Filling Solution 2, 45 mL	0.001 M
121534	GSCA	Calcium Ion Standard, 1000 ppM, 200mL	2.768g/L
121536	GSCAL	Calcium Ion Standard, 1000 ppM, 1 Litre	2.768 g/L

**UN Number** : None Allocated  
**Other Names** : Nil  
**Manufacturers Code** : GCISA2, GCCA, 2563

**Dangerous Goods Class** : None Allocated  
**Subsidiary Risk** : None Allocated  
**Hazchem Code** : None Allocated  
**Poisons Schedule** : Not Scheduled

**Uses** : Analytical Reagents for calibrating specific ion meters.

#### Physical Description / Properties :

**Appearance** : Clear liquid  
**Boiling Point (°C)** : 100 (approx)  
**Vapour Pressure (mm of Hg @ 25°C)** : 25 (approx)  
**Specific Gravity** : 1  
**Flash Point (°C)** : Not flammable  
**Flammability Limits (%)** : Not flammable  
**Solubility in Water (g/L)** : Completely miscible

**Other Properties** :

#### Ingredients :

Chemical Entity	CAS No	Proportion
Calcium Chloride	[ 10043-52-4 ]	See product descriptions.
Water	[ 7732-18-5 ]	to 100%

CaCl<sub>2</sub>

Page 1 of 3

**TPS Pty Ltd**  
A.B.N. No 30 009 773 371

4 Jamberoo Street  
Springwood, Brisbane,  
AUSTRALIA, 4127

**Phone** Australia (07) 32 900 400  
International 61 7 32 900 400  
**Email** tps@tps.com.au

**Fax** Australia (07) 3808 4871  
International 61 7 3808 4871  
**Web** www.tps.com.au



Manufacturers of Instruments for  
pH, Redox, Specific Ions,  
Conductivity, Salinity,  
Dissolved Oxygen,  
Humidity, Temperature,  
for Research and Industry



---

## HEALTH HAZARD INFORMATION

---

### Health Effects :

**Swallowed** : Consumption of large quantities may cause irritation of the gastric system.

**Eye** : May be irritating to eye tissue.

**Skin** : May irritate skin tissue with prolonged contact.

**Inhaled** : Not considered a hazard with normal laboratory use.

**Chronic Effects** : No data available.

### First Aid :

**Swallowed** : If conscious wash out mouth with water. Seek medical advice. Show this MSDS to medical practitioner.

**Eye** : Immediately hold eyelids open and flood with water for at least 15 minutes. Obtain medical aid. Show this MSDS to medical practitioner.

**Skin** : Remove contaminated clothing. Immediately wash skin thoroughly with water and mild soap. Seek medical advice if irritation persists. Show this MSDS to medical practitioner.

Launder clothing before reuse.

**Inhaled** : Remove from contaminated air. Maintain breathing with artificial respiration if necessary. Seek medical assistance. Show this MSDS to a doctor.

### Advice to Doctor :

Treat symptomatically

---

## PRECAUTIONS FOR USE

---

**Exposure Limits** : Worksafe : None Listed

**Engineering Controls** : Not usually required with normal use.

**Personal Protection** : Not required with normal use.

**Flammability** : Not flammable.



**Manufacturers of Instruments for  
pH, Redox, Specific Ions,  
Conductivity, Salinity,  
Dissolved Oxygen,  
Humidity, Temperature,  
for Research and Industry**



---

## SAFE HANDLING INFORMATION

---

**Storage & Transport** : Store sealed in original container in a cool well ventilated situation away from foods and other chemicals. Observe good hygiene and housekeeping practices.

No special transport requirements apply.

**Spills & Disposal** : Mop up spills and flush to waste if local regulations permit.

**Fire/Explosion Hazard** : Fire fighters should wear self contained breathing apparatus and impervious clothing if exposure to fumes is likely. Use water spray, foam or dry chemical to control fire situation if compatible with other chemical products in the vicinity. Decomposition products include hydrogen chloride and ammonia.

**Other :**

References :

Lenga, R.E. (Ed.) *Safety The Sigma Aldrich Library of Chemical Safety Data* Sigma Aldrich Corporation 1985

National Institute for Occupational Safety & Health *NIOSH Pocket Guide to Chemical Hazards* 1990.

Merck & Co Inc. *The Merck Index 11th Ed.* Merck & Co 1989.

International Labour Office *Encyclopaedia of Occupational Health & Safety* Vol 1 & 2 International Labour Office 1983

National Occupational Health & Safety Commission *Exposure Standards for Atmospheric Contaminants in the Occupational Environment* AGPS 1995

National Occupational Health & Safety Commission *List of Designated Hazardous Substances* [ NOHSC:10005(1994)] AGPS 1994

All information given by the Company is offered in good faith and is believed to the best of our knowledge to be accurate. However this information is offered without warranty representation inducement or licence and the Company does not assume legal responsibility for reliance upon the same.

Every person dealing with the materials referred to herein does so at his or her own risk absolutely and must make independent determinations of suitability and completeness of information from all sources to ensure their proper use.